## **Amendments to the Claims:**

The following Listing of Claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims:**

Claims 1 - 37 (canceled).

38. (Currently Amended) A device for storing and dispensing a flowable substance, comprising:

a container comprising

a base member and a cover member being sealingly connected with each other along the circumference of the container, wherein said base member is formed as a sheet,

at least one compartment for receiving said substance, and

an open ended pocket area into which said substance is transferable from said at least one compartment, and

a cannula having an internal passageway being in a fluid communication with said pocket for dispensing said substance, wherein said cannula is a separate component having a first end and a second end, said first end being adapted for insertion into said open end of said pocket area, and

a portion separating said compartment from said pocket, said separating portion comprising a passage area adapted to be selectively opened by pressure effective on said passage area for placing said compartment in communication with said pocket.

- 39. (Previously presented) The device of claim 38, wherein said first end comprises an extension part having a portion with an increased cross-section.
- 40. (Previously presented) The device of claim 39, said extension part having a cross-sectional shape comprising sharp edges in the plane between the base member and the cover member, and preferably comprises a rhombic or fin-like cross-sectional shape.

41. (Previously presented) The device of claim 38, wherein said extension part comprises at least one portion having an increased diameter.

- 42. (Previously presented) The device of claim 38, wherein said extension part comprises a portion being tapered along the length thereof, with the thickness of the tapered portion decreasing towards said first end.
- 43. (Previously presented) The device of claim 42, wherein said tapered portion comprises an U-shaped sealing area on each of the opposing surfaces of said tapered portion, the legs of said U-shaped sealing areas extending towards said first end and being connected at the edge of said first end.
- 44. (Previously presented) The device of any of claims 38 to 43, wherein said first end is attached to said open ended pocket area by a heat seal, a press fit, and/or an adhesive.
- 45. (Previously presented) The device of claim 38, wherein said first end comprises an extension part adapted for being attached to the outer surface of said container.
- 46. (Previously presented) The device of claim 45, wherein said extension part is attachable to said cover member.
- 47. (Previously presented) The device of claim 45, wherein said extension part comprises a first portion and a second portion being inclined relative to said first portion.
- 48. (Previously presented) The device of claim 45, 46, or 47, wherein said cannula is inclined relative to said extension part.
- 49. (Previously presented) The device of any of claims 45 to 47, wherein said internal passageway of said cannula extends through said extension part.

3

50. (Previously presented) The device of claim 49, wherein said extension part comprises a recess in the surface that is attachable to said container, said recess being adjacent to and surrounding said passageway opening.

- 51. (Previously presented) The device of claim 50, wherein said recess is ring shaped.
- 52. (Previously presented) The device of claim 50, wherein said extension part comprises a raised portion adjacent to and surrounding said passageway opening, said recess surrounding said raised area.
- 53. (Previously presented) The device of claim 38, said separate cannula being attached to said cover member, whereby said fluid communication with said pocket is established through said cover member.
- 54. (Previously presented) The device of claim 53, wherein said cannula comprises a dosing system having a variable volume, preferably a bellow.
- 55. (Previously presented) The device of claim 54, wherein said cannula further comprises an applicator at said second end for applying said substance to a treatment area.
- 56. (Previously presented) The device of claim 55, wherein said applicator comprises bristles being integrally formed with said second end of said cannula, or comprises a foamed material, a non-woven material, or a plurality of fibres incorporated into said second end of said cannula.
- 57. (Previously presented) The device of claim 56, wherein said internal passageway of said cannula further comprises flow resistors, preferably formed by structured surfaces, constricted portions, and/or orifices.

4

58. (Previously presented) The device of any of claims 39 to 43, said extension part further comprising stiffening elements extending away from said extension part.

## 59. (Canceled)

- 60. (Currently Amended) The device of claim [[59]] 38, wherein said base member sheet being is a deep-drawn sheet formed of a polypropylene layer, an aluminium layer, and a polyethylene layer.
- 61. (Previously presented) The device of claim 38, said cover member being formed as a sheet, preferably being formed of a polyethylene terephthalate layer, an aluminium layer, and a polyethylene layer.
- 62. (Previously presented) The device of claim 38, said cover member being formed as a plastic part, preferably as an injection moulded part.

## 63. (Canceled)

- 64. (Previously presented) The device of claim 38, comprising two or more compartments for holding different substances, and a passage area adapted to be selectively opened for placing said compartments in communication with each other prior to dispensing the mixed final substance.
- 65. (Previously presented) The device of claim 38, said cannula further comprising a mixer.
- 66. (Previously presented) The device of claim 65, said mixer comprising mixing helixes or elements providing flow resistance.
- 67. (Previously presented) The device of claim 38, further comprising a handle.

68. (Previously presented) The device of claim 38, wherein the container is pre-filled.

- 69. (Currently Amended) Set comprising a The device according to claim 38, in combination with and a separate applicator.
- 70. (Currently Amended) Set comprising a <u>A</u> plurality of juxtaposed <u>The</u> device[[s]] according to claim 38 interconnected to at least one further device according to claim 38.
- 71. (Canceled)
- 72. (Currently Amended) Set The device according to claim 70 or 71, wherein the device is filled with a substance, and wherein at least one of the further devices is filled with a different substance than the other devices.